


POWEREDGE™ STEAM MOP

USER GUIDE 2078 SERIES



IMPORTANT SAFETY INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USING YOUR STEAM MOP.

When using an electrical appliance, basic precautions should be observed, including the following:

Always connect to a polarized outlet defit slot is wider than multi-thorough from outlet when not in use and before conducting maintenance.

AWARNING

TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY:

- » This appliance can be used by children 8 years old and above, and persons with reduced physical, sensory and mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Cleaning and user maintenance shall not be made by children without supervision.
- » Children should be supervised to ensure that they do not play with the appliance.
- » If the cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
- » Use extra care when cleaning on stairs.
- » Do not use with damaged cord or plug.
- » Do not use outdoors.
- » Always turn off this appliance before connecting or disconnecting the nozzle. Do not direct steam at people, animals, or at electrical outlets.
- » Do not expose to rain.

- » Store indoors.
- » Unplug from outlet when not in use and before conducting maintenance or troubleshooting.
- » Do not leave steam cleaner unattended.
- » Do not expose hair, loose clothing, fingers or body parts to openings or moving parts.
- » Do not service steam cleaner when it is plugged in.
- » Do not handle steam cleaner with wet hands.
- » Do not use steam cleaner if it has been dropped, damaged, left outdoors or dropped into water, return it to a service center.
- » Do not pull or carry by cord, use cord as a handle, close dear on cord, pull cord around sharp comers or edges, or expose cord to heated surfaces.
- » Do not unplug by pulling on cord.
- enclosed space filled with vapor given off by oil-base paint, paint thinner, some moth proofing substances, flammable dust, or other explosive or taxic vapors.
- » Do not allow to be used as a toy

- » Do not use on leather, wax polished furniture or floors, synthetic fabrics, velvet or other delicate, steam-sensitive materials.
- » Do not immerse in water or liquid.
- » Not for space heating purposes.
- » Do not use for any purpose other than described in this User's Guide.
- » Use only manufacturer's recommended attachments – use of attachments not provided or sold by BISSELL may cause fire, electric shock or injury.
- » Never put descaling, aromatic, alcoholic, detergent or vinegar products into the steam cleaner, as this may damage it or make it unsafe for use.
- Unplug by grasping the plug, not the cond.
- when used by or resultables.

SAVE THESE INSTRUCTIONS FOR FUTURE USE

This model is for household use only. Commercial use of this unit yolds the manufacturers warranty

THIS APPLIANCE HAS A POLARIZED PLUG


To reduce the risk of electric shock, this appliance has a polarized plug (one blade is wider than the other). This plug was a polarized outlet only one way, if the plug does not fit fully in the outlet, reverse the plug. If it still does not fit some electrician to install a proper outlet. Do not change the plug in any way.


Thanks for buying a BISSELL PowerEdge™ Steam Mop

We love to clean and we're excited to share one of our innovative products with you. We want to make sure your steam mop works as well in two years as it does today, so this guide has tips on how to use (pages 5-8), maintain (page 9), and if there is a problem, troubleshoot (page 10).

Your steam mop needs a little assembly before you can put it to work, so flip to page 5 and let's get started!

What's In The Box?






NOTE: Standard accessories may vary by model. To identify what should be included with your purchase, please refer to the "Carton Contents" list located on the carton top flap.

Safety Instructions2	Troubleshooting 10
Product View4	Warranty11
Assembly5	Service11
Operations	Product Registration12
Maintenance & Care9	Consumer Care12

Getting to Know Your PowerEdge™



- 1 Handle
- 2 Ready Light
- 3 Pod Handle
- 4 Handheld Steam Trigger
- 5 Handheld Steamer Release Button
- 6 Triangle Mop Foot

- 7 Steam Trigger
- 6 Upper Cord Wrap
- u Lower Cord Wrap
- 10 Button to Remove Handle
- 11 Water Tank Release Button
- 12 Easy Fill Water Tank


Assembly

AWARNING


Do not plug in your PowerEdge™ Steam Mop until you are familiar with all instructions and operating procedures.


Your BISSELL PowerEdge™ Steam Mop comes in three easy to assemble components and does not require any tools to assemble:

- Handle
- Body
- Triangle Mop Foot



snapping it into place.






Then, insert handle into body of unit until you hear a click.


Wrap the cord around the Upper and Lower Cord Wrap.

Filling Your Water Tank

AWARNING


Never put descaling, alcoholic, vinegar, or detergent products into the steam cleaner, as this may damage it or make it unsafe for use.







To fill the water tank, remove grey rubber nozzle on the back of the water tank.



Fill water tank with distilled or demineralized water, recommended in place of tap water. Place the nozzle back into the water tank after filling and return tank to machine.


A few notes about filling the Water Tank:

 The Water Tank's capacity is 300 mL (10 oz). DO NOT USE CHEMICALS IN THE WATER TANK OF YOUR POWEREDGE!" STEAM MOP.

TIP: Use of distilled water or demineralized water is recommended to prolong the life of your hard floor cleaner.

Cleaning Your Hard Floors

NOTE: Before you clean, thoroughly sweep or vacuum floor prior to cleaning with your PowerEdge™ Steam Mop. Your hard floor cleaner is designed to clean hard flooring, such as ceramic tile, marble, stone and sealed hard wood floors. Use on waxed or some unwaxed floors may result in a diminished glossiness. The hard floor cleaner is not for use on unsealed wood floors. For best results, test in an inconspicuous area and check the care instructions from your flooring manufacturer.



Attach mop pad by wrapping around bottom of foot, making sure gray stitching is located on the front of foot and the Quick Grip Release Tab is located on the back.



Plug machine into an outlet.



When the machine is plugged in, the READY light will start to blink. The READY light will turn to a solid light when the machine is ready to use.




Step on the back of the foot to recline the body of machine to begin cleaning.



Push the trigger on the handle to release steam.



To be sure to sanitize an area of your floor, use the microfiber cloth pad and slowly and evenly stroke your steam mop back and forth at least three times over the area using continuous steam. For best results, remove the pad and wash after use.



When done cleaning, unplug the machine.

NOTE: Upon the first use of your steam mop or first use after refilling the water tank, the pump may make a "knocking" sound. This is normal and will diminish after a few seconds.


NOTE: The steam mop generates hot steam, so move the unit continuously when depressing the trigger as damage to flooring can occur. The trigger does not need to be depressed at all times.

Using the Handheld Steamer




When changing from mopping to the handheld feature, wait 10 seconds for steam to cool down.






To remove the handle from the machine, push the button located above the clean water tank and lift up the handle.




Push the trigger on the handheld steamer to release steam.



Bristle Grout Brush Tool


Your PowerEdge™ Steam Mop may have come with tools to attach to the pod.




Connect desired tool to end of the pod based on your cleaning needs.



Use the **Grout Tool** to clean flooring that has visible grout you would like to remove.



Use the **Bristle Brush** to clean around your sinks, countertops, showers, etc.



When done cleaning, unplug the machine.





Insert foot back into body of the machine until it snaps in place. If you removed the handle, Insert handle back into body of machine unit it snaps into place.

Maintenance: Cleaning Your Steam Mop

AWARNING

To reduce the risk of fire, electric shock or injury, disconnect plug from electrical outlet before performing maintenance or troubleshooting.






Carefully remove mop pad using the Quick Grip Release Tab from the mop head.


NOTE: Mop pad and lower assembly may be hot.



Mop pads can be machine washed in warm water. Use only liquid detergents. Do not use fabric softeners or bleach. For best results, air dry.



Wrap cord around Upper and Lower Cord Wrap on the back of the steam mop and wipe all surfaces of the machine with a soft cloth.



Store upright in a protected, dry area. Store with dry pads as wet mop pads may damage wood and other delicate hard floors.

NOTICE: Since this product uses water, it must not be stored where there is danger of freezing. Freezing will damage internal components and may void the warranty.

Troubleshooting

AWARNING

To reduce the risk of electric shock, disconnect plug from electrical outlet before performing maintenance or troubleshooting checks.

Problem	Possible causes	Remedies
Reduced steam OR no steam	Water tank empty	Refill tank
	Handle not installed properly	Push the handle all the way into the unit until you hear a click
	Foot not installed properly	Insert the body of the machine into the steam mop foot until you hear a click
Streaking	Dirty mop pad	Remove and wash pad per instructions before further use
	Use on waxed or oiled floor	If you have used floor polishes or wax on your floors, steam products may decrease glossiness. Refer to the wax or polish manufacturer. If you don't wax or polish your floors, check the floor care instructions from your flooring manufacturer.
Leaking	Mop pad is too wet	Remove and replace with dry mop pad
Knocking Noise	First use or water tank is empty	Fill water tank and knocking will diminsh after a few seconds

Warranty

If you need additional instruction regarding this warranty or have questions regarding what it may cover, please contact BISSELL Consumer Care by E-mail, telephone, or regular mail as described below.

Limited One-Year Warranty

Subject to the *EXCEPTIONS AND EXCLUSIONS identified below, upon receipt of the product BISSELL will repair or replace (with new or remanufactured components or products), at BISSELL's option, free of charge from the date of purchase by the original purchaser, for one year any defective or malfunctioning part.

See information below on "If your BISSELL product should require service".

This warranty applies to product used for personal, and not commercial or rental service. This warranty does not apply to fans or routine maintenance components such as filters, belts, or brushes. Damage or malfunction caused by negligence, abuse, neglect, unauthorized repair, or any other use not in accordance with the User's Guide is not covered.

BISSELL IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE ASSOCIATED WITH THE USE OF THIS PRODUCT. BISSELL'S LIABILITY WILL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT.

*EXCEPTIONS AND EXCLUSIONS FROM THE TERMS OF THE LIMITED WARRANTY THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTIES EITHER ORAL OR WRITTEN. ANY IMPLIED WARRANTIES WHICH MAY ARISE BY OPERATION OF LAW, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE ONE YEAR DURATION FROM THE DATE OF PURCHASE AS DESCRIBED ABOVE.

Service

If your BISSELL product should require service:

Contact BISSELL Consumer Care to locate a BISSELL Authorized Service Center in your area.

If you need information about repairs or replacement parts, or if you have questions about your warranty, contact BISSELL Consumer Care.

Website:

www.BISSELL.ca/service-centers

E-mail:

www.BISSELL.ca/email-us

Call:

BISSELL Consumer Care 1-800-263-2535 Monday – Friday 8am - 10pm ET Saturday 9am - 8pm ET Sunday 10am - 7pm ET

Please do not return this product to the store.

Other maintenance or service not included in the manual should be performed by an authorized service representative.

For any questions or concerns, BISSELL is happy to be of service. Contact us directly at 1-800-263-2535.

Register your product today!

Registering is quick, easy and offers you benefits over the lifetime of your product.

You'll receive:

Faster Service

Supplying your information now saves you time should you need to contact us with questions regarding your product.

Product Support Reminders and Alerts

We'll contact you with any important product maintenance reminders and alerts.

Special Promotions

Optional: Register your email to receive notice of offers, contests, cleaning tips and more!

Visit www.BISSELL.ca/registration!

Visit us online at: BISSELL.ca

When contacting BISSELL, have model number of cleaner available.

Please record your Model Number:

Please record your

Purchase Date:

NOTE: Please keep your original sales receipt. It provides proof of purchase date in the event of a warranty claim. See Warranty on page 11 for details.

Parts & Supplies

For Parts and Supplies, go to BISSELL.ca and enter your model number in the search field.

We can't wait to hear from you!

We really do read your comments, tweets, and posts.

Rate this product on BISSELL.ca

or any of our retailer sites and let us (and millions of your closest friends) know what you think!

For cleaning tips and more visit www.BISSELL.ca or find us at:



BISSELL



BISSELLClean



BISSELLClean



BISSELL



BISSELL



©2017 BISSELL Homecare, Inc BISSELL Canada Corporation Mississauga, Ontarion L5N 0B3 All rights reserved. Printed in China Part Number 161-1677 Rev 01/17 Visit our website at: www.BISSELL.ca